



XRT1550

[Close print view](#)

OVERVIEW	FEATURES	OPTIONS	SPECS	DOWNLOADS	IMAGES	VIDEOS
--------------------------	--------------------------	-------------------------	-----------------------	---------------------------	------------------------	------------------------

Built from the ground up to withstand the punishment of rough terrain. From the lightweight, aircraft-grade aluminum frame to the 4-wheel, hydraulic disc brakes, the XRT1550 is designed to thrive in even the toughest conditions, putting confidence and quality in the palm of your hands.



*XRT1550 Series 4x4s feature the exclusive IntelliTrak™ All Wheel Drive system - no gears to shift or buttons to push.

Click on the product to view its features.

- XRT1550 Gas

- Rustproof Aircraft Grade Aluminum Frame
- Exclusive IntelliTrak™ drive system. Our automatic, full-time, 4-Wheel Drive System
- 4-wheel hydraulic disc brakes
- Double A-Arm front suspension w/coil-over shocks enhances comfort and ride, reduces tire wear
- Exclusive 13-position adjustable driver's seat with retractable seat belt
- 23 hp air-cooled Kawasaki® gas engine
- Bucket or Bench Seat Options
- Steel box with rustproof aluminum floor
- 800-1,500 lb/15.1 cubic feet bed capacity
- 4-point certified ROPS (certified FOPS also available)
- Retractable seat belts
- Exclusive tile steering
- Advanced GE Gelyo plastic front cowl form supreme impact-resistance, weatherability and color retention
- Halogen headlamps with available turn signals and fog lamps
- Clean-air intake with truck-style filter reduces contamination and eases maintenance
- Tube Bumper (heavy-duty brush guard also available)
- 25" mud tires (25" all-terrain tires also available)
- Standard 2" trailer hitch
- Slam-latch tailgate for easy closing

- XRT1550 Diesel

- Rustproof Aircraft Grade Aluminum Frame
- Exclusive IntelliTrak™ drive system. Our automatic, full-time, 4-Wheel Drive System
- 20 hp liquid-cooled Kubota™ diesel engine
- 4-wheel hydraulic disc brakes
- Double A-Arm front suspension w/coil-over shocks enhances comfort and ride, reduces tire wear
- Exclusive 13-position adjustable driver's seat with retractable seat belt
- Bucket or Bench Seat Options
- Steel box with rustproof aluminum floor
- 800-1,500 lb/15.1 cubic feet bed capacity
- 4-point certified ROPS (certified FOPS also available)
- Retractable seat belts
- Exclusive tile steering
- Advanced GE Gelyo plastic front cowl form supreme impact-resistance, weatherability and color retention
- Halogen headlamps with available turn signals and fog lamps

- Clean-air intake with truck-style filter reduces contamination and eases maintenance
- Tube Bumper (heavy-duty brush guard also available)
- 25" mud tires (25" all-terrain tires also available)
- Standard 2" trailer hitch
- Slam-latch tailgate for easy closing

Click on the product to view its options.

+ XRT1550 Gas

Category	Accessories	
Weather Protection	1550 Cab	
	Black 3-sided enclosure	
	Black Canopy	
	Black FOPS Top	
	Dashboard closeout	
	Falling Object Protective Structure (FOPS)	
	Fold-Down Windshield	
	Solid Windshield	
	White FOPS Top	
	Heater (Gas)	
	Exterior	2" Inch Front Receiver
		Bed Liner
		Brush Guard
Cab safety strobe		
CV Boot and A-Arm guard- black powder coated aluminum		
CV Boot and A-Arm guard- brushed aluminum		
Differential Guard		
Electric Bed Lift		
Front CV boot guard kit		
Front Skid Plate		
Nerf Bars		
Rear Cargo Cage-Black		
Rear Skid Plate		
Skid plate belly pan kit		
Toolbox- flat bed		
Tube Bumper		
Underhood-Storage (Gas only)		
Ag Sprayer		
Bed Mat		
Toolbox-cargo bed		
Outside Mirrors, Set of 2		
Stake-Side Kit		
Realtree™ Camo		
Green		
Red		

Interior	Bench Seats-Black
	Bench Seats-Grey
	Billet Shifter Knob - 4x4
	Billet Shifter Knob - Club Car
	Billet Shifter Knob - Plain
	High Back Bucket Seats-Black
	High Back Bucket Seats-Grey
	Sport Seat Cover - 2 pc. Bench, Pewter Embroidery
	Sport Seat Cover - 2pc bench, Red Embroidery
	Accessory Plug
Lighting & Electronics	Deluxe Lights
	Fog Lights
	Standard Lights
	Work Lights, Set of 2
	Rear Facing Flood
Sound	Mini Weatherproof Stereo Kit
Performance	50amp High output alternator- Kawasaki engine
	Diesel Heater
	Winch - 2,500 lb
Camo & Hunting	Bed Cover- Realtree Hardwoods
	Bench Camo seat cover - RealTree Hardwoods
	Bench Seat Cover - Mossy Oak Forest Floor
	Bucket Camo seat cover - RealTree Hardwoods
	Camo enclosure - Mossy Oak Forest Floor
	Camo enclosure - Realtree Hardwoods
	Headrest cover - Realtree Hardwoods
	Kolpin Gun Boot
	Bed Cover - Mossy Oak Forest Floor
Implements & Attachments	1 7/8" Ball Mount Kit
	1 7/8" Chrome Hitch Ball
	12" Receiver Extension
	2" Ball Mount Kit
	2" Chrom Hitch Ball
	2" Drop Ball Mount
	45 degree angle for organizer racks
	5/8" Bone Locking Hitch Pin
	5/8" Hairpin Zinc Hitch Pin
	Back Pack Blower Rack

	Bed Rails for XRT Bed
	Foldable Game/Utility Cart
	Hand Tool Holder
	Improved 40 gallon Ag Sprayer
	Organizer rack rail mount
	String Trimmer Racks
	Swisher Quadivator
	Tri-Ball Hitch - Chrome
	Water cooler holder
	Trailmower 44-Inch Finish Cut
	Trailcutter 44-Inch Rough Cut
	Trailmower 60-Inch Finish Cut
	Universal Dump Cart
	Log Splitter
	Plow mount
	Plow Switch Plate
	62" Swisher Plow
	Tri-Ball Hitch - Pintle
Vehicle Maintenance & Tools	Battery Terminal protectant
	Dry Moly lubricant
	Finish Restore
	Kawasaki V-Twin tune up kit
	Locking differential fluid, Qt
	Re-Black detailer
	Wax All
	Windshield cleaner and protectant
Tires & Wheels	12" A/T wheel cover - chrome
	12" A/T wheel cover - dark chrome
	All Terrain- 1550
	Black Diamond wheel with HDAT tire
	Black Diamond wheel with Mud tire - DS
	Black Diamond wheel with Mud tire - PS
	Cap - Chrome Diamond 8 wheel
	Diamond 8 wheel
	Diamond 8 wheel with HDAT tire
	Diamond 8 wheel with mud tire - DS
	Diamond 8 wheel with mud tire - PS
	Lug nut - Chrome, Diamond 8, 4-pack
	Valve stem with cap - chrome
	V-Bar tire chains- 25" tires

+ XRT1550 Diesel

Category	Accessories	
Weather Protection	1550 Cab	
	Black 3-sided enclosure	
	Black Canopy	
	Black FOPS Top	
	Dashboard closeout	
	Falling Object Protective Structure (FOPS)	
	Fold-Down Windshield	
	Solid Windshield	
	White FOPS Top	
	Exterior	2" Inch Front Receiver
Bed Liner		
Brush Guard		
Cab safety strobe		
CV Boot and A-Arm guard- black powder coated aluminum		
CV Boot and A-Arm guard- brushed aluminum		
Differential Guard		
Electric Bed Lift		
Front CV boot guard kit		
Front Skid Plate		
Nerf Bars		
Rear Cargo Cage-Black		
Rear Skid Plate		
Skid plate belly pan kit		
Toolbox- flat bed		
Tube Bumper		
Ag Sprayer		
Bed Mat		
Toolbox-cargo bed		
Outside Mirrors, Set of 2		
Stake-Side Kit		
Realtree™ Camo		
Green		
Red		
Interior		Bench Seats-Black
		Bench Seats-Grey
		Billet Shifter Knob - 4x4
	Billet Shifter Knob - Club Car	
	Billet Shifter Knob - Plain	
	High Back Bucket Seats-Black	
	High Back Bucket Seats-Grey	
	Sport Seat Cover - 2 pc. Bench, Pewter Embroidery	

	Sport Seat Cover - 2pc bench, Red Embroidery
	Accessory Plug
Lighting & Electronics	Deluxe Lights
	Fog Lights
	Standard Lights
	Work Lights, Set of 2
	Rear Facing Flood
Sound	Mini Weatherproof Stereo Kit
Performance	50amp High output alternator- Kawasaki engine
	Diesel Heater
	Winch - 2,500 lb
Camo & Hunting	Bed Cover- Realtree Hardwoods
	Bench Camo seat cover - RealTree Hardwoods
	Bench Seat Cover - Mossy Oak Forest Floor
	Bucket Camo seat cover - RealTree Hardwoods
	Camo enclosure - Mossy Oak Forest Floor
	Camo enclosure - Realtree Hardwoods
	Headrest cover - Realtree Hardwoods
	Kolpin Gun Boot
	Bed Cover - Mossy Oak Forest Floor
Implements & Attachments	1 7/8" Ball Mount Kit
	1 7/8" Chrome Hitch Ball
	12" Receiver Extension
	2" Ball Mount Kit
	2" Chrom Hitch Ball
	2" Drop Ball Mount
	45 degree angle for organizer racks
	5/8" Bone Locking Hitch Pin
	5/8" Hairpin Zinc Hitch Pin
	Back Pack Blower Rack
	Bed Rails for XRT Bed
	Foldable Game/Utility Cart
	Hand Tool Holder
	Improved 40 gallon Ag Sprayer
	Organizer rack rail mount
	String Trimmer Racks
	Swisher Quadivator
	Tri-Ball Hitch - Chrome
	Water cooler holder

- Trailmower 44-Inch Finish Cut
- Trailcutter 44-Inch Rough Cut
- Trailmower 60-Inch Finish Cut
- Universal Dump Cart
- Log Splitter
- Plow mount
- Plow Switch Plate
- 62" Swisher Plow
- Tri-Ball Hitch - Pintle

Vehicle Maintenance & Tools

- Battery Terminal protectant
- Dry Moly lubricant
- Finish Restore
- Kawasaki V-Twin tune up kit
- Locking differential fluid, Qt
- Re-Black detailer
- Wax All
- Windshield cleaner and protectant

Tires & Wheels

- 12" A/T wheel cover - chrome
- 12" A/T wheel cover - dark chrome
- All Terrain- 1550
- Black Diamond wheel with HDAT tire
- Black Diamond wheel with Mud tire - DS
- Black Diamond wheel with Mud tire - PS
- Cap - Chrome Diamond 8 wheel
- Diamond 8 wheel
- Diamond 8 wheel with HDAT tire
- Diamond 8 wheel with mud tire - DS
- Diamond 8 wheel with mud tire - PS
- Lug nut - Chrome, Diamond 8, 4-pack
- Valve stem with cap - chrome
- V-Bar tire chains- 25" tires

specs	XRT1550 Gas	XRT1550 Diesel
Power Source	Gas	Diesel
Engine	Kawasaki 4 cycle OHV, 675 cc, twin-cylinder, industrial grade	Kubota 719 cc, 3-cylinder, industrial grade
Engine - Cooling	Air	Liquid
Engine - Lubrication and Oil Filter Type	Full-pressure, spin-on	Full-pressure, spin-on
Maximum Torque	39.8 ft lb @ 240 rpm	33 ft-lb (44.7 Nm)
Horsepower	23 hp @ 3,600 rpm per SAE J1940/1349	20 hp (14.9 kw)
Ignition	Transistorized magneto	Compression

XRT1550 - Club Car Utility Vehicles

4WD Engagement	Automatic - IntelliTrak	Automatic - IntelliTrak
Front Differential	Automatic - IntelliTrak	Automatic - IntelliTrak
Rear Differential	Auto locking - IntelliTrak	Auto locking - IntelliTrak
High-Low Range Engagement	Automatic - IntelliTrak	Automatic
Torque Converter	CVT	CVT
Electrical System	12-volt, 500 CCA	12-volt, 500 CCA
Steering	Rack and pinion	Rack and pinion
Tilt Steering Wheel	Standard	Standard
Front Suspension	Independent double A-arms with coil-over shocks	Independent double A-arms with coil-over shocks
Rear Suspension	Swing arm with coil-over shocks	Swing arm with coil-over shocks
Brakes	4-wheel, hydraulic disc	4-wheel, hydraulic disc
Park Brake	Foot-operated	Foot-operated
Frame Chassis	Rust-proof non-corrosive, aircraft grade 6061 aluminum frame	Rust-proof non-corrosive, aircraft grade 6061 aluminum frame
Front Body	High-impact, scratch-resistant, GE Gely injection molded color	High-impact, scratch-resistant, GE Gely injection molded color
Front Tires	25 x 11-12, 4-ply mud tires	25 x 11-12, 4-ply mud tires
Rear Tires	25 x 11-12, 4-ply mud tires	25 x 11-12, 4-ply mud tires
Instrumentation	Electronic fuel gauge/hour meter, low oil warning light	Electronic fuel gauge/hour meter, low oil warning light
Bed Box	Steel sides with aluminum floor	Steel sides with aluminum floor
Cargo Bed Size	48 in x 49.8 in x 10.9 in (121.9 cm x 126.5 cm x 27.7 cm)	48 in x 49.8 in x 10.9 in (121.9 cm x 126.5 cm x 27.7 cm)
Bed Height	33 in (83.8 cm)	33 in (83.8 cm)
Bed Capacity	800 lb (362.9 kg); 1,050 lb (476.3 kg) available	800 lb (362.9 kg); 1,050 lb (476.3 kg) available
Total Vehicle Capacity	1,200 lb (544.3 kg); 1,450 lb (657.7 kg) available	1,200 lb (544.3 kg); 1,450 lb (657.7 kg) available
Seating	Bench (standard) or bucket	Bench (standard) or bucket
Seating Capacity	2	2
Overall Length	124.6 in (316.5 cm)	124.6 in (316.5 cm)
Overall Width	60 in (152.4 cm)	60 in (152.4 cm)
Overall Height	78.6 in (199.6 cm)	78.6 in (199.6 cm)
Wheelbase	81.5 in (207.01 cm)	81.5 in (207.01 cm)
Ground Clearance	7.4 in (18.8 cm)	7.4 in (18.8 cm)
Ground Clearance under platform	12.1 in (30.7 cm)	12.1 in (30.7 cm)
Fuel Tank Capacity	6.5 gallons (24.6 L)	6.5 gallons (24.6 L)
Tread	48.8 in (124 cm)	48.8 in (124 cm)
Dry Weight (Less Batteries)	1,430 lb (648.6 kg)	1,559 lb (707.2 kg)
Turning Radius	13 ft (3.8 m)	13 ft (3.8 m)
Vehicle Warranty	2-year/2,000 hour limited	2-year/2,000 hour limited

Return to Utility 4x4 listing

[our company](#) | [contact us](#) | [safety info](#) | [club car pavilion](#) | [privacy/legal](#) | [site map](#)

© Copyright 2009. All images owned exclusively by Club Car, LLC; such images (and all other information displayed herein) may not be copied or used by others. All rights reserved.

Explore the Ingersoll Rand family of brands ▶

