



# XRT1550 with Intellitach

OVERVIEW FEATURES OPTIONS SPECS DOWNLOADS IMAGES VIDEOS

A utility vehicle unlike anything you've seen before. The worldclass feature set of the XRT1550 is combined with the revolutionary IntelliTach<sup>™</sup> system, allowing it to handle the workload of six similar utility vehicles in a fraction of the time and cost.

\*XRT1550 Series 4x4s feature the exclusive Intellitrak  $^{\rm M}$  All-Wheel Drive system - no gears to shift or buttons to push.

Click on the product to view its features.

## - XRT1550 Intellitach

- Rustproof Aircraft Grade Aluminum Frame
- Exclusive IntelliTach<sup>™</sup>, the only fully hydraulic, quickchanging tool attachment system that eliminates the need for multiple vehicles
- Exclusive IntelliTrak<sup>™</sup> drive system. Our automatic, fulltime, 4-Wheel Drive System
- 20 hp liquid-cooled Kubota™ diesel engine
- 4-wheel hydraulic disc brakes
- Double A-Arm front suspension w/coil-over shocks enhances comfort and ride, reduces tire wear
- Exclusive 13-position adjustable driver's seat with retractable seat belt
- Steel box with rustproof aluminum floor
- 800-1,500 lb/15.1 cubic feet bed capacity
- 4-point certified ROPS (certified FOPS also available)
- Retractable seat belts
- Exclusive tile steering
- Advanced GE Geloy plastic front cowl form supreme impact-resistance, weatherability and color retention
- Halogen headlamps with available turn signals and fog lamps
- Clean-air intake with truck-style filter reduces contamination and eases maintenance
- 25" mud tires (25" all-terrain tires also available)
- Standard 2" trailer hitch
- Slam-latch tailgate for easy closing

Click on the product to view its options.

### + XRT1550 Intellitach

Category		Accessorie
Weather Protection	1550 Cab	
	Black 3-sided enclosure	
	Black Canopy	
	Black FOPS Top	
	Dashboard closeout	
	Falling Object Protective Structure (FOPS)	
	Fold-Down Windshield	
	Solid Windshield	
	White FOPS Top	



Close print view

## 4/1/2012

# XRT1550 with Intellitach - Club Car Uti...

	Heater (Gas)
Exterior	2"Inch Front Receiver
	Bed Liner
	Cab safety strobe
	CV Boot and A-Arm guard- black powder coated aluminum
	CV Boot and A-Arm guard- brushed aluminum
	Differential Guard
	Electric Bed Lift
	Front CV boot guard kit
	IntelliTach brush guard
	Nerf Bars
	Rear Cargo Cage-Black
	Rear Skid Plate
	Skid plate belly pan kit
	Toolbox- flat bed
	Underhood-Storage (Gas only)
	Ag Sprayer
	Bed Mat
	Toolbox-cargo bed
	Outside Mirrors, Set of 2
	Stake-Side Kit
	Realtree™ Camo
	Red
Interior	Bench Seats-Black
	Bench Seats-Grey
	Billet Shifter Knob - 4x4
	Billet Shifter Knob - Club Car
	Billet Shifter Knob - Plain
	High Back Bucket Seats-Black
	High Back Bucket Seats-Grey
	Sport Seat Cover - 2 pc. Bench, Pewter Embroidery
	Sport Seat Cover - 2pc bench, Red Embroidery
	Accessory Plug
Lighting & Electronics	Deluxe Lights
	Fog Lights
	Standard Lights
	Work Lights, Set of 2
	Rear Facing Flood
Sound	Mini Weatherproof Stereo Kit
Performance	50amp High output alternator- Kawasaki engine

### XRT1550 with Intellitach - Club Car Uti...

Diesel Heater

Winch - 2,500 lb

Camo & Hunting

Bed Cover- Realtree Hardwoods

Bench Camo seat cover -RealTree Hardwoods

Bench Seat Cover - Mossy Oak Forest Floor

Bucket Camo seat cover -RealTree Hardwoods

Camo enclosure - Mossy Oak Forest Floor

Camo enclosure - Realtree Hardwoods

Headrest cover - Realtree Hardwoods

Kolpin Gun Boot

Bed Cover - Mossy Oak Forest Floor

Implements & Attachments

1 7/8" Ball Mount Kit

1 7/8" Chrome Hitch Ball

12" Receiver Extension

2" Ball Mount Kit

2" Chrom Hitch Ball

2" Drop Ball Mount

5/8" Bone Locking Hitch Pin

5/8" Hairpin Zinc Hitch Pin

Angle hydraulic attachments kit

Auxillary Hydraulics

Bed Rails for XRT Bed

Foldable Game/Utility Cart

Hand Tool Holder

Improved 40 gallon Ag Sprayer

String Trimmer Racks

Swisher Quadivator

Tri-Ball Hitch - Chrome

railmower 44-Inch Finish Cut

Trailcutter 44-Inch Rough Cut

Trailmower 60-Inch Finish (

Universal Dump Cart

Log Splitter

Plow Blade with Manual Angle Adjustment

Push Broom with Manual Angle Adjustment

Pallet Fork

Nower

ri-Ball Hitch - Pintle

Vehicle Maintenance & Tools

Battery Terminal protectant

Dry Moly lubricant

### XRT1550 with Intellitach - Club Car Uti...

#### Finish Restore

IntelliTach Hydraulic Fluid

Locking differential fluid, Qt

Re-Black detailer

Wax All

Windshield cleaner and protectant

Tires & Wheels

12" A/T wheel cover - chrome

12" A/T wheel cover - dark chrome

All Terrain- 1550

Black Diamond wheel with HDAT tire

Black Diamond wheel with Mud tire - DS

Black Diamond wheel with Mud tire - PS

Cap - Chrome Diamond 8 wheel

Diamond 8 wheel

Diamond 8 wheel with HDAT tire

Diamond 8 wheel with mud tire - DS

Diamond 8 wheel with mud tire - PS

Lug nut - Chrome, Diamond 8, 4-pack

Valve stem with cap - chrome V-Bar tire chains- 25" tires

### specs

#### XRT1550 Intellitach

Power Source	Diesel
Engine	Kubota 719 cc, 3-cylinder, industrial grade
Engine - Cooling	Liquid
Engine - Lubrication and Oil Filter Type	Full-pressure, spin-on
Maximum Torque	33 ft-lb (44.7 Nm)
Horsepower	20 hp (14.9 kw)
Ignition	Compression
4WD Engagement	Automatic - IntelliTrak
Front Differential	Automatic - IntelliTrak
Rear Differential	Auto locking - IntelliTrak
High-Low Range Engagement	Automatic
Torque Converter	CVT
Electrical System	12-volt, 500 CCA
Steering	Rack and pinion
Tilt Steering Wheel	Standard
Front Suspension	Independent double A-arms with coil-over shocks
Rear Suspension	Swing arm with coil-over shocks
Brakes	4-wheel, hydraulic disc
Park Brake	Foot-operated
Frame Chassis	Rust-proof non-corrosive, aircraft grade 6061 aluminum frame

## clubcar.com/.../xrt1550intellitach.aspx

4/1/2012

Front Body	High-impact, scratch-resistant, GE Geloy injection molded color
Front Tires	25 x 11-12, 4-ply mud tires
Rear Tires	25 x 11-12, 4-ply mud tires
Instrumentation	Electronic fuel gauge/hour meter, low-oil warning light, coolant high-temp warning light
Bed Box	Steel sides with aluminum floor
Cargo Bed Size	48 in x 49.8 in x 10.9 in (121.9 cm x 126.5 cm x 27.7 cm)
Bed Height	33 in (83.8 cm)
Bed Capacity	800 lb (362.9 kg)
Front Load Capacity	500 lb (227.3 kg)
Total Vehicle Capacity	1,700 lb (771.1 kg)
Seating Capacity	2
Overall Length	148.6 in (377.4 cm)
Overall Width	60 in (152.4 cm)
Overall Height	78.6 in (199.6 cm)
Wheelbase	81.5 in (207.01 cm)
Ground Clearance	7.4 in (18.8 cm)
Ground Clearance under platform	12.1 in (30.7 cm)
Fuel Tank Capacity	6.5 gallons (24.6 L)
Tread	48.8 in (124 cm)
Dry Weight (Less Batteries)	1,709 lb (775.1 kg)
Maximum Speed	25 mph (40.2 kph)
Turning Radius	13.8 ft (4.2 m)
Vehicle Warranty	2-year/2,000 hour limited Return to Utility 4x4 listing

(R) Ingersoll Rand

SCHLAGE

our company | contact us | safety info | club car pavilion | privacy/legal | site map

© Copyright 2009. All images owned exclusively by Club Car, LLC; such images (and all other information displayed herein) may not be copied or used by others. All rights reserved.

**THERMO KING** 

TRANE

Explore the Ingersoll Rand family of brands 🕨

testss